

Kärcher - Perfect Cleaning Solutions For



Quick Service Restaurants

Cleaning at Subway's – with Kärcher

makes a difference



**Impressive
cleaning results
after cleaning with
Kärcher**


Scrubber-drier: BR 30/4 *EU

Article No.: 1.783-200.0

The new BR 30/4 C scrubber drier eliminates the hassle and safety risks associated with floor mopping in public areas. As easy to use as an upright vacuum cleaner, the BR 30/4 thoroughly cleans and dries floors in a single pass, and can also be used for deep cleaning.



Easy to transport



Fresh and dirty water tanks (4 litres each) are easy to remove, refill and clean

Easy access close to edges as well as under furniture and low objects due to low cleaning head: Only 7 cm!



- **Hygienic** - no direct contact with dirty water, no gloves or protective equipment required
- **Instant drying** - no wet floor hazard, no time for wet floor to become dirty again while drying
- **Continuous use of clean water** - no reusing of dirty mop bucket water
- **Continuous brush pressure** and **high brush speed** ensure a fast and even finish
- **High suction power** leaves floors clean and dry in a single pass, **floor is instantly usable**
- Key components such as roller brush, water distribution channel and suction squeegees are **easy to clean** and replace without the need for tools
- The suction hose is easy to clean from the **specially** designed access point
- Vacuum-off facility for **deep scrubbing**



As easy to operate as a vacuum cleaner



RM 743 – universal floor cleaner, for resilient floors, hard surfaces, streak-free cleaning of linoleum and fine stoneware tiles; ideal for the restaurant area.



RM 750 – intensive deep cleaner, removes even the most stubborn stains (oil, grease, soot, etc); ideal for the kitchen area

Dimensions (L x W x H)	390 x 335 x 1180 mm
Working width, brush	300 mm
Working width, vacuum	300 mm
Motor rating	750 W
Tank fresh/dirt water	4/4 l
Brush contact pressure	100 g/cm ²
Brush rotation speed	1450 rpm
Practical area performance	130 m ² /h
Max. area performance	200 m ² /h
Frequency	50-60 Hz
Weight	11,5 kg
Sound pressure level	70,5 dB(A)
Voltage	230 V

Scrubber-drier: BR 40/10C Adv *EU

Article No.: 1.783-302.0

With the compact and powerful scrubber-drier BR 40/10 we present the most economic machine in its class. The Advance version is equipped with additional transport wheels and a brush contact pressure adjustment. Low-noise cleaning is possible in both directions. Special features of the machine are the hinged push handle and the easily removable tanks, which can be carried with an ergonomic handle. The tanks can also be filled at low wash basins. The brushes and squeegees can be changed within a few seconds without any tools.



Easy to transport because of an integrated under-carriage and additional transport wheels, which can be fixed at the push handle, if they are not needed.

Innovative design, high service and user friendliness.

Easy understandable brush contact pressure adjustment with pictograms.

High tank volume of 10 litres, which leads to longer cleaning intervals.



Comfort for the users due to the ergonomic push handle. **Saves space** because of the hinged push handle.



Dimensions (L x W x H)	520 x 470 x 380 mm
Working width, brush	400 mm
Working width, vacuum	400 mm
Motor rating	1900 W
Tank fresh/dirt water	10/10 l
Brush contact pressure	100-200 g/cm ²
Brush rotation speed	1100 rpm
Practical area performance	300 m ² /h
Max. area performance	400 m ² /h
Frequency	50 Hz
Weight	30 kg
Voltage	220-240 V

RM 743 – universal floor cleaner, for resilient floors, hard surfaces, streak-free cleaning of linoleum and fine stoneware tiles; ideal for the restaurant area.



RM 750 – intensive deep cleaner, removes even the most stubborn stains (oil, grease, soot, etc); ideal for the kitchen area

Micro Sweeper: KM 35/5 C *EU

Article No.: 1.327-320.0

The innovative, battery driven micro sweeper KM 35/5 C is designed for quick clean-ups and maintenance cleaning of smaller hard surfaces. The machine collects loose dirt like cigarettes, leaves, terra, stones and broken glass pieces.



Convenient: No bending down (press on / off switch with foot), no annoying cables

Handle with grip: **Foldable**, allows good and easy handling of the machine, upright storage position possible



Only 19 cm high: Perfect sweeping under shelves and hard-to-reach areas



- **Effective:** Impressive sweeping results, even near edges (3mm) thanks to clever position of roller brush (350mm wide, with crooked bristles)
- **Powerful** lithium-ion battery (1,3 Ah, no „memory effect“, intermediate charging perfectly possible), drives roller brush also when machine is not moved (especially useful in corners)
- **Compact** machine: Weighs only 5,6 kg, can be carried easily to different locations
- 5 l dirt container: Allows long working intervals
- Roller brush/battery: **Quick** changing without tools
- Optional quick charger for the battery: Shortens charging time to 1 hour
- **Antistatic** roller brush available for textile floor cleaning



Quick: Up to 3 times faster than conventional sweeping with broom and dustpan

Dimensions (L x W x H)	410 x 410 x 200 mm
Working width	350 mm
Container capacity gross/net	5-4,5 l
Battery running time	20-25 min.
Max. area performance	1480 m ² /h
Weight	5,6 kg
Weight, ready to operate	5,6 kg
Charging time rechargeable battery	3-4 h
Weight incl. packaging	7 kg

Steam Cleaner: DE 4002 *EU

Article No.: 1.092-100.0

Universal steam cleaner for commercial application. 2-tank system (permits the boiler to be filled during operation, no cooling down period), VAPOHydro regulator, accessories compartment and an ergonomically designed carrying handle are only some of the many equipment features of the DE 4002.



Environmentally-friendly, thorough cleaning and maintenance with hot steam removes soiling fast and effectively without chemical cleaners. The ideal cleaner for floors, tiles, machines, radiators, kitchens and toilets.

- 1 double swivel castor, 2 block wheels: Follows user **smoothly**, runs over thresholds, very **manoeuvrable, steady** stand
- **Ergonomic** carrying handle and **protective** edge.
Easy to carry, safes walls, furniture and the unit from unwanted knocks
- **Extensive professional accessories**: A tool for every cleaning job. Nozzles, cloths and other accessories are neatly accommodated on the unit so that they are **ready for use at all times**.
- **Large capacity**, effective filling quantity of 2.4 litres: **Optimal** steam development with 4000 litres of steam for long working operations
- **Operating and control functions**: On/off switch for heating and steam supply, pressure switch control, automatic calcination control, indicator lights for heating and low water
- **Patented safety** with overpressure valve, no opening possible when unit runs with pressure
- **Splash proof** housing (IPx4) for a high safety standard



2.7-metre steam hose permits overhead operation without having to lift the unit



Infinitely variable steam control: Best steam volume for every use, steam supply is controlled via the On/Off switch on the gun



Dimensions (L x W x H)	480 x 305 x 265 mm
Steam pressure	3,2 bar
Frequency	50-60 Hz
Weight without access.	7,5 kg
Heating output	2250 W
Length of cord access.	7,5 m
Voltage	230 V
Tank capacity	2,4-2,2 l

High Pressure Cleaner: HD 6/15 C Plus *EU + FR 30

Article No.: 1.150-603.0 (HD) and 2.641-065.0 (FR)

Upright cold-water high-pressure cleaner with alternating current drive for daily commercial use with compact dimensions, robust construction and greatest possible manoeuvrability. Perfect together with FR 30, a rotating nozzle beam with Kärcher Power nozzles. It has an area coverage up to 10 times larger than conventional methods and comes with ceramic bearings and a plastic cover for good manoeuvrability.



Adjustable shaped aluminium push handle, can **easily** be adjusted to the operator's body height **without tools**. In standard position **safe** fixing of standard accessories (nozzle compartment) and **easy** transport possible. Low position for easy transport in different types of transport cars.



Full **shock-resistant** plastic covering, **protects** the high-pressure pump from damage and soiling

- Power cord storage with plug lock
- **Easy Press trigger gun**, reduces holding and operating effort
- Pressure switch: **Automatic** switch-off of electric motor when gun is closed, energy is **saved**
- Three-piston axial pump with stainless steel pistons, a brass cylinder head and swash-plate drive system: Direct drive with minimum of moving parts, **optimum efficiency, long service life**
- Both the water inlet and the high-pressure outlet are made of brass: **Highly resistant** to fracture and corrosion
- **Infinitely variable** pressure and water flow control on the unit
- **Large-volume** oil container (very important for an always adequately lubricated unit), can be checked easily from outside through an oil level inspection glass.



FR 30: Max. 180 bar / 850 l/h / 60 °C.



Comes with a **three-way nozzle** to adjust the water jet quickly and easily: High-pressure pencil jet, high-pressure fan jet (25°), low-pressure fan jet (40°, for dispensing cleaning agent). The **cleaning agent metering valve** enables cleaning agent to be mixed **continuously** with the high-pressure jet, for example **RM 81** – a non-aggressive high-pressure cleaning concentrate for heavy oil, grease and mineral stains.

Dimensions (L x W x H)	360 x 375 x 925 mm
Connected load	3,1 kW
Number of current phases	1 Ph
Operating pressure	30-150/3-15 bar /MPa
Water flow rate	230-560 l/h
Frequency	50 Hz
Weight	23 kg
Max. pressure	190 bar
Voltage	230 V
Power supply	1/230/50 Ph /V /Hz
Max. water feed temperature	up to 60 °C

Wet/Dry Vacuum Cleaner: NT 35/1 Eco *EU

Article No.: 1.184-800.0

The NT 35/1 is a handy and strong wet/dry vacuum cleaner for commercial applications. It is equipped with the innovative and patented TACT-System for fully automated filter cleaning. The NT 35/1 provides full accessory that can easily be retained in the integrated accessory storage.



This wet/dry vacuum cleaner is fully equipped with accessory - and therefore ready-to-use.



Main feature of the compact and powerful NT 35/1 is the unique and very effective system for fully automated filter cleaning - TACT.



The NT 35/1 can also be used as a wet vacuum cleaner for picking up liquids. An electronic control cuts off the machine when reaching the maximum level.



With the NT 35/1 it is possible to pick-up even highest amounts of fine dust with constantly high airflow.



Dimensions (L x W x H)	520 x 380 x 580 mm
Max. intake performance	1380 W
Container material	Plastic
Container capacity	35 l
Frequency	50-60 Hz
Weight	11,5 kg
Length of cord access.	7,5 m
Air flow rate	61 l/s
Sound pressure level	64 dB(A)
Voltage	220-240 V
Standard nominal width	35 mm
Vacuum	230/23 mbar /kPa

Manual Cleaning Agents

All products for manual cleaning are specifically designed to meet the requirements of the cleaning service providers: Self-cleaners, contract cleaners or caretaker services. They safely remove all typical stains without affecting surfaces and are easy to handle. Fast cleaning results at top cleaning quality!



Alcohol-based gloss finish RM 722

For manual maintenance cleaning.

Article No.: 6.294-495.0 (6x1 litre) or 6.294-494.0 (2x5 litres)

Alcohol-based maintenance cleaner for all water-resistant surfaces. Produces streak-free finish on high-gloss surfaces, e.g. wall and floor tiles, plastics, stone floors and glass.

Sanitary maintenance cleaner RM 738

For manual maintenance cleaning.

Article No.: 6.294-499.0 (2x5 litres) or 6.294-500.0 (6x1litre)

Efficient maintenance cleaner for effortless removal of limescale and soap residue from tiles, washbasins, mirrors and plastic surfaces.



Sanitary cleaner RM 736

For manual deep and maintenance cleaning of sanitary installations.

Article No.: 6.294-501.0 (2x5 litres) or 6.294-502.0 (6x1 litre)

Fast acting and thorough deep cleaner for quickly removing limescale and rust, grease and albumin stains in wet areas. Suitable for all acid-resistant surfaces and objects. Not suitable for enamel or anodized surfaces.

Glass cleaner RM 724

For manual deep and maintenance cleaning of sanitary installations.

Article No. 6.294-498.0 (6x1 litre) or 6.294-497.0 (2x5 litres)

Powerful glass cleaner for removing grease, finger-marks, insects and emissions. Dries quickly without streaks. For all glass surfaces, e.g. windows, mirrors, counter-tops and monitors/TV screens.



Contact

International Key Account Manager for Subway:

Ms. Bettina Mehrholz

Phone: +49-7195-14-4257

Fax: +49-7195-901-1622

Mobile: +49-160-90766054

E-mail: bettina.mehrholz@de.kaercher.com



For any cleaning related question or projects please do not hesitate to contact us!

On our website <http://www.kaercher.com> you will also find comprehensive information about our products and company.